Quantitative Applications for Data Analysis: Linux command line II

Erik Spence

SciNet HPC Consortium

13 January 2022



Today's slides

Today's slides can be found here. Go to the "Quantitative Applications for Data Analysis" page, under Lectures, "Introduction to the Linux Shell II".

https://education.scinet.utoronto.ca



Our commands so far

There are a couple of things to observe about the commands we've seen so far:

- The commands are designed to be fast and easy to use.
- The commands do, essentially, only one specific thing.
- The commands are pretty cryptic. Either you know them or you don't.
- Commands can take options. These are usually indicated with a '-something' flag (such as 'ls -F').

As you may have hoped, the purpose of this class is to teach you enough commands that you will be able to survive the Unix command line.

Our commands	
pwd	present working directory
ls [dir]	list the directory contents
mkdir dir	create a directory
cd [dir]	change directory
man cmd	command's man page
arg	mandatory argument
[arg]	optional argument

Setting up for today

[ejspence.mycomp] pwd

/c/Users/ejspence

[ejspence.mycomp]

[ejspence.mycomp] mkdir EES1137

[ejspence.mycomp]

[ejspence.mycomp] cd EES1137

[ejspence.mycomp] pwd

/c/Users/ejspence/EES1137

[ejspence.mycomp]

[ejspence.mycomp] mkdir assignment0

[ejspence.mycomp]

[ejspence.mycomp] cd assignment0

[ejspence.mycomp]

[ejspence.mycomp] pwd

/c/Users/ejspence/EES1137/assignment0

[ejspence.mycomp]

Our commands	
pwd	present working directory
ls [dir]	list the directory contents
mkdir dir	create a directory
cd [dir]	change directory
man cmd	command's man page
arg	mandatory argument
[arg]	optional argument

Here we are creating a directory to hold your work for this class.

We create a directory, 'assignment0', to hold the files we'll create today.



Our next command: echo

One of the simplest bash commands is 'echo'.

- The 'echo' command prints out whatever arguments it is given.
- This may seem silly, but combined with other commands it can be quite useful.

Don't forget to hit 'Enter' at the end of each line.

If you get an error message, it's likely you're running a different shell (csh, tcsh, zsh). Type 'bash' to start a bash shell, and try again.

[ejspence.mycomp]	echo	Hello		
Hello				
[ejspence.mycomp]				
[ejspence.mycomp]	echo	Hello,	world	
Hello, world				
[ejspence.mycomp]				
[ejspence.mycomp]	echo	"Hello,	adoring	fans!"
	ngl			



Text editors

It's time to write our first shell script. What is a script? A script is just a list of commands which you want the computer to run.

To write our script we need to use a text editor. NOT a word processor (WORD, for example). Good text editors include:

- Atom (https://atom.io)
- Brackets (http://brackets.io)
- Sublime (https://www.sublimetext.com)
- one of the command line text editors: nano, emacs, vi, vim, ...

We recommend against Notepad, Notepad++ (Windows) or TextEdit (Macs).

You will need a proper text editor for the rest of the semester.



Our first shell script

Start your text editor.

- Create a new file called 'first.script.sh'.
- Save the file in the 'assignment0' directory.
- Put in the lines to the upper right.

The first line tells the computer to use 'bash' to interpret the commands.

The second is a 'comment'. Everything after the # is ignored by bash.

The other lines are like the commands from two slides ago. These are the commands to be executed.

DO NOT try to copy-and-paste code from PDF files! Bad things can happen!

```
#!/bin/bash
# first.script.sh
echo "Hello, world!"
```

[ejspence.mycomp] pwd
/c/osers/ejspence/EESI13//assignmento
[ejspence.mycomp]
[ejspence.mycomp] ls
first.script.sh
[ejspence.mycomp]

Any commands which you can run on the command line can be put into the script.



Erik Spence (SciNet HPC Consortium)

File names

Some notes about file names.

- Do not try to name files the same names as built-in commands ('echo', 'pwd', 'cp').
- Do not put spaces in your file names!
- File name extensions do not matter in Linux systems.
- Periods in filenames are fine.

Note that Linux systems are case sensitive ("A" is not the same as "a"). Windows systems (git bash) may not respect this in general.



Our first shell script, continued

Note that the code on the upper right is code as you would put it into your text editor (such as Atom). The commands on the lower right are at the bash prompt, because there is a prompt.

The 'source' command tells the shell to run the commands in the script, one at a time.

#!/bin/bash
first.script.sh
echo "Hello, world!"

[ejspence.mycomp]	
[ejspence.mycomp]	ls
first.script.sh	
[ejspence.mycomp]	
[ejspence.mycomp]	source first.script.sh
Hello, world!	
[eispence.mycomp]	



Assigning variables

We can create variables in bash.

- The '=' sign tells the shell to create a variable called 'myvar' and assign it the value "pants".
- There are no spaces around the '='.
- The variable's value is accessed using the \$.
- When the \$ is invoked, the shell finds the value of the variable and gives it to the command (echo) to process.
- There is nothing special about the variable "myvar", you can call variables just about anything, and have as many as you want.

[ejspence.mycomp]	
[ejspence.mycomp] myvar="pants"	
[ejspence.mycomp]	
[ejspence.mycomp] Hello, world	echo Hello, world
[ejspence.mycomp]	
[ejspence.mycomp] Hello, pants	echo Hello, \$myvar
[ejspence.mycomp]	



Our second shell script

#!/bin/bash
second.script.sh
myvar="adoring fans!"
echo Hello, \$myvar

Once again, we run the script using the 'source' command.

[ejspence.mycomp]	
[ejspence.mycomp] ls	
first.script.sh second.script.sh	
[ejspence.mycomp]	
[ejspence.mycomp] source second.script.sh	
Hello, adoring fans!	
[ejspence.mycomp]	
	SCIN e
	compute • cal

Our third shell script: arguments

Suppose we'd like our script to behave slightly differently each time we run it. We don't want to have to rewrite the script for each possible case. How do pass information into the script, so we can slightly change its behaviour?

#!/bin/bash
third.script.sh
myvar="world"
echo Hello, \$myvar \${1}

- Information which is passed to a script is called an 'argument'.
- Any arguments which are given to a bash script are put into the variables \${1}, \${2}..., in order.
- The script can then access them and use them as needed.



Our third shell script: arguments, continued

```
#!/bin/bash
```

```
# third.script.sh
```

myvar="world"

echo Hello, \$myvar \${1}

We run the script using the usual way.

- The arguments are accessed using \${1}, \${2}, etc.
- third.script.sh only uses the first argument; any other arguments are ignored.

We will use scripts in this manner the rest of the semester, to run data-analysis pipelines.

```
[ejspence.mycomp]
[ejspence.mycomp] pwd
/c/Users/ejspence/EES1137/assignment0
[ejspence.mycomp]
[ejspence.mycomp] 1s
first.script.sh second.script.sh third.script.sh
[ejspence.mycomp]
[ejspence.mycomp] source third.script.sh pants
Hello, world pants
[ejspence.mycomp]
[ejspence.mycomp] source third.script.sh wide web
Hello, world wide
[ejspence.mycomp]
[ejspence.mycomp] source second.script.sh wide web
Hello, adoring fans!
[ejspence.mycomp]
                                               CONDURE • CalC
```

Manipulating files: copying

[ejspence.mycomp]

[ejspence.mycomp] 1s

first.script.sh second.script.sh third.script.sh

[ejspence.mycomp]

[ejspence.mycomp] cp first.script.sh first-new

[ejspence.mycomp]

[ejspence.mycomp] ls

first-new first.script.sh second.script.sh

third.script.sh

[ejspence.mycomp]

[ejspence.mycomp] cp first-new ..

[ejspence.mycomp]

[ejspence.mycomp] ls ..

assignment0 first-new

[ejspence.mycomp]

Our commands	
pwd	present working directory
ls [dir]	list the directory contents
mkdir dir	create a directory
cd [dir]	change directory
man cmd	command's man page
echo arg	echo the argument
source file	run the cmds in file
cp file1 file2	copy a file
arg	mandatory argument
[arg]	optional argument

'cp' stands for 'copy'; it copies a file.



Manipulating files: moving

[ejspence.mycomp] pwd /c/Users/ejspence/EES1137/assignment0	Our commands	present working directory
<pre>[ejspence.mycomp] ls first-new first.script.sh second.script.sh third script sh</pre>	- ls [dir] mkdir dir cd [dir]	list the directory contents create a directory change directory
[ejspence.mycomp] [ejspence.mycomp] mv first-new new.txt [eispence.mycomp] ls	<pre>- echo arg - source file - cp file1 file2 - mu file1 file2</pre>	echo the argument run the cmds in file copy a file
first.script.sh new.txt second.script.sh third.script.sh	arg [arg]	mandatory argument optional argument
[ejspence.mycomp] cd	-	

- 'mv' stands for 'move'; it moves a file and/or renames it.
- my can overwrite a file, so be careful when moving things!

[ejspence.mycomp] ls assignment0 first-new

Manipulating files: deleting

[ejspence.mycomp] pwd	Our commands	
/c/lisers/eispence/FFS1137	pwd	present working directory
/c/osers/ejspence/htsrifi	ls [dir]	list the directory contents
[ejspence.mycomp]	mkdir dir	create a directory
[ejspence.mycomp] ls	cd [dir]	change directory
assignment0 first-new	man cmd	command's man page
[eispence.mvcomp]	echo arg	echo the argument
	source file	run the cmds in file
[ejspence.mycomp] rm first-new	cp file1 file2	copy a file
[ejspence.mycomp] ls	mv file1 file2	move/rename a file
assignment0	rm file	delete a file
[eignence mycomn]		
[c]pbence.mycomb]	arg	mandatory argument
	[arg]	optional argument

- 'rm' stands for 'remove'; it deletes a file. It does not delete directories, by default.
- rm does not 'move the file to the Trash'. It deletes it; it's gone; it's not recoverable. Be sure before you use rm.

Wildcards

Wildcards (*) capture all possible combinations that fit a given description.

[ejspence.mycomp] cd assignment0

[ejspence.mycomp] pwd

/c/Users/ejspence/EES1137/assignment0

[ejspence.mycomp] ls

first.script.sh second.script.sh third.script.sh

[ejspence.mycomp] ls f*

first.script.sh

[ejspence.mycomp] ls *on*

second.script.sh

[ejspence.mycomp] ls *.pants

ls: *.pants: No such file or directory

[ejspence.mycomp] ls *.sh

first.script.sh second.script.sh third.script.sh

[ejspence.mycomp]

Our commands	
pwd	present
ls [dir]	list the
nkdir dir	
cd [dir]	
nan cmd	com
echo arg	e
source file	ri
cp file1 file2	
nv file1 file2	n
rm file	
arg	ma

arg

esent working directory the directory contents create a directory change directory command's man page echo the argument run the cmds in file copy a file move/rename a file delete a file

mandatory argument optional argument

The shell expands the wildcard into a list of all possible matches, and passes the list to the command.



Head/Tail

[ejspence.	mycomp]
------------	---------

[ejspence.mycomp] pwd

```
/c/Users/ejspence/EES1137/assignment0
```

[ejspence.mycomp]

[ejspence.mycomp] head -2 first.script.sh
#!/bin/bash

```
# first.script.sh
```

[ejspence.mycomp]

```
[ejspence.mycomp] tail -3 third.script.sh
```

third.script.sh

```
myvar="world"
```

echo Hello, \$myvar \${1}

[ejspence.mycomp]

Our commands pwd ls [dir] mkdir dir cd [dir] man cmd echo arg source file cp file1 file2 mv file1 file2 rm file head file tail file arg arg

present working directory list the directory contents create a directory change directory command's man page echo the argument run the cmds in file copy a file move/rename a file delete a file print first 10 lines of file print last 10 lines of file mandatory argument optional argument

'head'/'tail' prints the first/last 10 lines of the input. Use "-n" to specify n lines.



Word count

[ejspence.mycomp] pwd
/c/Users/ejspence/EES1137/assignment0

[ejspence.mycomp] wc first.script.sh

3 6 51 first.script.sh

[ejspence.mycomp] wc -l first.script.sh

3 first.script.sh

[ejspence.mycomp] wc -w first.script.sh

6 first.script.sh

[ejspence.mycomp] wc -c first.script.sh

51 first.script.sh

[ejspence.mycomp] wc -w *

6 first.script.sh

8 second.script.sh

8 third.script.sh

22 total

'wc' stands for 'word count'. It counts the number of lines/words/characters in the input.

arg

[arg]

present working directory list the directory contents create a directory change directory command's man page echo the argument run the cmds in file copy a file move/rename a file delete a file word count data of file

> mandatory argument optional argument



Searching files: grep

How do we search for character strings (words) within files?

[ejspence.mycomp] pwd
/c/Users/ejspence/EES1137/assignment0

[ejspence.mycomp]

[ejspence.mycomp] grep ash first.script.sh
#!/bin/bash

[ejspence.mycomp] grep ello *
first.script.sh:echo "Hello, world!"
second.script.sh:echo Hello, \$myvar
third.script.sh:echo Hello, \$myvar \${1}

[ejspence.mycomp]

grep prints the lines from the input that contain the search argument.

Our commands	
pwd	present working directory
ls [dir]	list the directory contents
mkdir dir	create a directory
cd [dir]	change directory
man cmd	command's man page
echo arg	echo the argument
source file	run the cmds in file
cp file1 file2	copy a file
mv file1 file2	move/rename a file
rm file	delete a file
wc file	word count data of file
grep arg file	search for arg in file
arg	mandatory argument
[arg]	optional argument

If you forget the second argument grep will hang. Use Ctrl-C to cancel the command.

Pipelines of commands

How do we combine commands?

- Suppose we want to take the output of one command and use it as the input to another.
- Outputing one command straight into another is so common and useful that the shell has a special feature to do this, called the 'pipe'.
- The 'pipe' is the vertical line, found above your 'return' key.
- Note that the commands that are receiving information from the pipe do not take an file argument.

[ejspence.mycomp] pwd				
/c/Users/ejspence/EES1137/assignment0				
[ejspence.mycomp]				
[ejspence.mycomp] grep myvar *				
<pre>second.script.sh:myvar="adoring fans!" second.script.sh:echo Hello, \$myvar</pre>				
				third.script.sh:myvar="world"
third.script.sh:echo Hello, \$myvar \${1}				
[ejspence.mycomp]				
[ejspence.mycomp] grep myvar * wc -1				
4				
[ejspence.mycomp]				
[ejspence.mycomp] myvar="how long is this s	sentence?"			
[ejspence.mycomp] echo \$myvar wc -c				
27				
[ejspence.mycomp]				
	compute • ca			

The sort command

The sort command can take a number of important flags:

- -n: sort by number (not lexicographic; 10 < 30 without -n).
- -k [num]: sort by the k'th column.
- -r: reverses order.

[ejspence.mycomp] [ejspence.mycomp] wc -c * | sort -n -k 1 -r 191 total 72 second.script.sh 68 third.script.sh 51 first.script.sh [ejspence.mycomp]

More commands	
curl url	downloads the url
tar file	handles tar files
cmd1 cmd2	pipe cmd1 output to cmd2
sort file	sorts the lines of file
arg	mandatory argument
[arg]	optional argument



Cutting up the output

How do keep just part of the output?

[ejspence.mycomp]

[ejspence.mycomp] grep var * | head -1

second.script.sh:myvar="adoring fans!"

[ejspence.mycomp]

[ejspence.mycomp] grep var * | head -1 | cut -c -8 second.s

[ejspence.mycomp]

[ejspence.mycomp] grep var * | head -1 | cut -c 10ript.sh:myvar="adoring fans!"

[ejspence.mycomp]

```
[ejspence.mycomp] grep var * | head -1 | cut -c 2-5
```

[ejspence.mycomp]

More commands			
curl url	downloads the url		
tar file	handles tar files		
cmd1 cmd2	pipe cmd1 output to cmd2		
sort file	sorts the lines of file		
source file	run the cmds in file		
grep arg file	search for arg in file		
cut flags output	cut part of output		
arg [arg]	mandatory argument optional argument		
 "-c" tells cut t 	o cut characters.		
• "-8" means keep			
up-to-and-inclu	iding character		

eight.

Saving information

If I need to save something, I use variables.

```
[ejspence.mycomp] echo "How many words are in this sentence?" | wc -w
7
[ejspence.mycomp]
[ejspence.mycomp] i=$( echo "How many words are in this sentence?" | wc -w )
[ejspence.mycomp]
[ejspence.mvcomp] echo i
[ejspence.mycomp] echo $i
7
[eispence.mvcomp]
[ejspence.mvcomp] echo "The value of mv variable is $i."
The value of my variable is 7.
[ejspence.mycomp]
```

Enough to get started

- These commands are enough to get started with using the command line.
- As you have seen, Unix commands are simple, and are designed to do one specific thing.
- By combining these commands together we will be able to do more interesting things.
- If there is functionality that you think ought to exist, it probably does. Ask someone what the command is, or google it.



Shell-command cheat sheet

pwd	present working directory
ls [dir]	list the directory contents
mkdir dir	create a directory
cd [dir]	change directory
man cmd	command's man page
echo arg	echo the argument
source file	run the cmds in file
cp file1 file2	copy a file
mv file1 file2	move/rename a file
rm file	delete a file
wc file	word count data of file
grep arg file	search for arg in file
cmd1 cmd2	pipe cmd1 output to cmd2
arg	mandatory argument
[arg]	optional argument
Larg	optional argument

rmdir dir
history [num]
file file
more file
less file
cat file
<pre>cmd > file</pre>
<pre>cmd >> file</pre>
<pre>cmd < file</pre>
head file
tail file
curl url
tar file
sort file
cut flags output
fordodone
ifthenfi
logout

delete a directory print the shell history type of file scroll through file scroll through file print the file contents redirect output to file append output to file use file as input to cmd print first 10 lines of file print last 10 lines of file downloads the url handles tar files sorts the lines of file cut part of output for loop in bash if statement in bash close the terminal session

